

# Equipment

<b>ABOVE SPEC TYRES</b>	WITHOUT ABOVE SPEC TYRES
<b>ADDITIONAL ELECTRONIC UNIT</b>	WITHOUT ADDITIONAL ELECTRONIC UNIT
<b>ADDITIONAL HEATING</b>	WITHOUT ADDITIONNAL HEATING
<b>ADDITIONAL SHIELD (UNDER ENGINE)</b>	ENGINE UNDERSHELDING
<b>AIRBAG DEACTIVATION</b>	MANUAL AIRBAG DEACTIVATION
<b>AIR CONDITIONING</b>	WITH AUTO RECIRCULATION HEATER MATRIX
<b>AIR CONDITIONING (COMPRESSOR)</b>	EXTERNAL VARIABLE COMPRESSOR WITHOUT CLUTCH
<b>AIR CONDITIONING PIPES</b>	IHX TECHNOLOGY AIR CONDITIONING PIPES
<b>ALTERNATOR</b>	ALTERNATOR 150 AMP
<b>ANTI-INTRUSION PROTECTION</b>	WITHOUT ANTI-THEFT PROTECTION
<b>ANTI-THEFT ALARM</b>	WITHOUT THEFT PROTECTION ALARM
<b>ANTI-THEFT NUTS</b>	WITHOUT ANTI-THEFT NUTS
<b>ASHTRAY</b>	WITHOUT ASHTRAY
<b>ATMOSPHERIC CONDITIONS</b>	DUSTY ATMOSPHERE
<b>AUDIO PACK AUXILIARY SOCKET</b>	3 USB PORTS
<b>AUTOMATIC BRAKING</b>	WITHOUT EMERGENCY COLLISION BRAKING SYSTEM
<b>BADGE</b>	FAMILY BADGE
<b>BATTERY</b>	BATTERY L2 640 60AH EF 640 EN
<b>BATTERY CHARGE MEASUREMENT</b>	WITH BATTERY CHARGE MEASUREMENT
<b>BATTERY CHARGER</b>	WITHOUT ON-BOARD CHARGER
<b>BLIND SPOT DETECTION</b>	WITHOUT BLIND SPOT MONITORING
<b>BOOT CONTROL</b>	MOTORISED BOOT OR TAILGATE CONTROL
<b>BRAKE PEDAL RATIO</b>	BRAKE PEDAL RATIO 3.5
<b>BRAKE TYPE</b>	VENTILATED FRONT DISCS/REAR DISCS
<b>BUMPER</b>	BODY COLOUR FR BUMPER+GLOSS BLACK GRILLE+BODY COLOUR RR BUMPER+PAINTED BEAD

<b>BUMPER TRIM</b>	BUMPER WITHOUT TRIM
<b>CABIN SEAT</b>	WITHOUT CAB SEAT
<b>CAPACITY</b>	1600 CM3
<b>CARPET COVER</b>	CARPET MAT 1
<b>CEN. LOCKING REM CONTROL FREQUENCY</b>	433.92 MHZ SUPER HETERODYNE
<b>CHILD SEAT ANCHORING POINTS</b>	WITHOUT ANCHORAGE WITH ISOFIX FR AND RR
<b>CIGAR LIGHTER</b>	WITHOUT CIGAR-LIGHTER
<b>CITY PARK</b>	CITY PARK 2
<b>CLEAN CABIN</b>	WITHOUT CLEAN CABIN
<b>CLIMATE (AMBIENT TEMP)</b>	VERY HOT COUNTRY
<b>CLOCK</b>	ANALOGUE CLOCK
<b>CLUTCH</b>	WITHOUT CLUTCH
<b>COMPACT DISC</b>	WITHOUT COMPACT DISC
<b>CONDENSER (SPECIFICATIONS)</b>	CONDENSER 23.5DM2 THICKNESS 16 LOW OUTLET
<b>CONVERSION GUIDANCE</b>	WITHOUT CONVERSION
<b>COOLING MOTOR</b>	RADIATOR 28DM2 EP: 18 BRAZED ALU
<b>COURTESY MIRROR</b>	DRIVER+PASSENGER LED LIGHTING PASSENGER BLIND
<b>CRANKCASE GAS CIRCUIT HEATING</b>	WITH HEATER CASING GAS CIRCUIT
<b>CRUISE CONTROL</b>	REGULATOR AND SPEED LIMIT
<b>DAMPING (TYPE)</b>	VARIABLE DAMPING TYPE DAMPING
<b>DASHBOARD EQUIPMENT</b>	LEATHER DECOR DASHBOARD
<b>DEFINITION TO FOLLOW</b>	INITIALE RANGE
<b>DIESEL FILTER WATER DETECTOR</b>	WITHOUT DIESEL FILTER WATER DETECTOR
<b>DISPLAY</b>	DGT TOUCHSCREEN+12" DFT BLOCK
<b>DRIVER'S SEAT HEIGHT CONTROL</b>	ELECTRIC CONTRL DRIVERS HEIGHT ADJ
<b>DRIVER SEAT ADJUSTMENT</b>	DRIVER'S SEAT TILTING BACK ELECPNE LUMBAR SUPPORT+MEMO
<b>DRIVER SEAT CONTROL</b>	DRIVER'S SEAT WITH MEMORY CONTROL+CUSHION FRONT ADJUSTMENT
<b>DRIVER VIGILANCE ALERT</b>	DRIVER VIGILANCE PAUSE ALERT
<b>DRIVE TRAIN</b>	INTERNAL COMBUSTION DRIVE TRAIN
<b>DRIVING POSITION</b>	LEFT-HAND DRIVE
<b>DRIVING WHEELS</b>	2 DRIVEN WHEELS
<b>ELECTRICAL EQUIPMENT (SUPPLY)</b>	STANDARD PROVISION ELECTRICAL EQUIPMENT
<b>EMERGENCY EQUIPMENT</b>	W/O HELP EQUIPMENT
<b>EMERGENCY WARNING TRIANGLE</b>	WITHOUT WARNING TRIANGLE
<b>EMISSIONS STANDARD (ENGINE)</b>	EURO 6.1 ENGINE EMISSION CONTROL
<b>ENGINE (TYPE)</b>	EP TYPE ENGINE

<b>ENGINE SUSPENSION</b>	LIGHTENED ENGINE SUSPENSION
<b>EOBD SELF-DIAGNOSIS SYSTEM</b>	WITH "OBD" AUTO-DIAGNOSTICS
<b>EXHAUST TAILPIPE</b>	WITHOUT EXHAUST TAIL PIPE
<b>EXHAUST TAILPIPE TRIM</b>	CHROME EXHAUST OUTLET TRIM
<b>EXT. LOAD RETENTION RING (ATTACHMENT)</b>	BOAT EXT LASHING RING
<b>EXT. REAR VIEW MIRROR (DRIVER SIDE RADIUS)</b>	CURVED EXTERIOR MIRROR GLASS
<b>EXT. REARVIEW MIRROR COMP. FUNCTION</b>	DRIVER ELEC FOLDING+PASSENGER+DIODE+REVERSE +MEMORY
<b>EXT DETECTION ADDITIONAL DISPLAY</b>	WITHOUT ADDITIONAL DISPLAYING EXTERIOR DETECTION
<b>EXTERIOR ACCESSORIES</b>	CHROME+BODY-COLOURED EXT HANDLE
<b>EXT MIRROR APPEARANCE</b>	BODY COLOUR EXTERIOR MIRROR+BLACK HOUSING
<b>FAN</b>	1 X 2-SPEED FAN 140W AERO DYNAMIC FLAP
<b>FINAL DRIVE RATIO</b>	REAR AXLE GEARSET 15 X 61
<b>FLANK GUARD (LATERAL DETECTION)</b>	WITH SIDE DETECTION
<b>FLOOR MAT</b>	FR + RR MATS
<b>FOOTREST</b>	ALU DRIVER'S FOOTREST
<b>FOOTWELL LIGHTING</b>	DRIVER + FR PASSENGER FOOTWELL LIGHTING
<b>FRAGRANCE DIFFUSER</b>	WITHOUT FRAGRANCE DIFFUSER
<b>FR DISC DIMENSION</b>	FRONT DISC DIAMETER 304 THICKNESS 28
<b>FR IMPACTS</b>	REINFORCED FR IMPACT PROTECTORS
<b>FRONT ANTI-ROLL BAR</b>	FR ANTI-ROLL BAR STIFFNESS 30000 NM/RAD
<b>FRONT FOG LAMP</b>	LED FOG LAMPS + CORNERING LAMP
<b>FRONT HEAD RESTRAINT</b>	4-WAY ADJUSTABLE FRONT HEAD RESTRAINT
<b>FRONT LATERAL AIRBAG</b>	CHEST-PELVIS SIDE AIRBAG+RR CHEST+CURTAIN
<b>FRONT PANEL</b>	FRONT PANEL SET BACK
<b>FRONT PASSENGER SEAT ADJUSTMENT</b>	TILTING SEAT BACK ELECTROPNEUMATIC LUMBAR SUPPORT+MEMO
<b>FRONT PASSENGER SEAT CONTROL</b>	PASSENGER'S FR ELEC SEAT CTRL + CUSHION FRONT ADJ
<b>FRONT PASSENGER SEAT HEIGHT CONTROL</b>	FRONT PASSENGER SEAT HEIGHT ADJUSTER ELECTRIC HEIGHT ADJUSTMENT+ELECTRIC FRONT SEAT CUSHION ANGLE
<b>FRONT SEAT ARMREST</b>	CENTRAL ARMREST FLOCKED + PVC
<b>FUEL</b>	UNLEADED PETROL 95 QUALITY A/B/E/E+
<b>FUEL (TYPE)</b>	PETROL TYPE FUEL
<b>FUEL ADDITIVE</b>	WITHOUT FUEL ADDITIVE
<b>FUEL FILLER CAP</b>	WITHOUT FUEL FILLER CAP
<b>FUEL SUPPLY</b>	DIRECT EXCHANGER TURBO INJECTION
<b>FUEL TANK</b>	FUEL TANK WITHOUT LOCATING TAB
<b>FUEL TANK CAPACITY</b>	62-LITRE FUEL TANK
<b>GEARBOX (CHARACTERISTICS)</b>	AT6 AUTOMATIC GEARBOX

<b>GEARBOX TYPE</b>	AT6 3 AUTOMATIC GEARBOX
<b>GEAR CHANGE CONTROL TYPE</b>	ELECTRIC GEAR ENGAGEMENT CONTROL
<b>GEAR SELECTOR</b>	RAISED GEAR LEVER AT THE FLOOR + AT THE STEERING WHEEL
<b>GLASS (APPEARANCE)</b>	TINTED + DARK-TINTED WINDOW GLASS
<b>HANDS FREE ACCESS AND STARTING</b>	WITH HANDS-FREE ACCESS/STARTING
<b>HEADLAMP BULBS</b>	LED BULB
<b>HEADLAMP HEIGHT ADJUSTER</b>	AUTOMATIC HEADLAMP ADJUSTMENT
<b>HEADLAMP WIPER</b>	W/O HEADLAMP WIPER
<b>HORNS</b>	HORNS-HARMONY
<b>IN CRASH BRAKING</b>	WITHOUT AUTOMATIC BRAKING AFTER COLLISION
<b>INFLATION PRESSURE LOSS INDICATOR</b>	INDIRECT DETECTION OF UNDER-INFLATION WITH LOCATION
<b>INSTRUMENT PANEL (CHARACTERISTICS)</b>	DIGITAL INSTRUMENT PANEL 29 WARNING LAMPS
<b>INTERIOR REAR VIEW MIRROR</b>	FRAMELESS INTERIOR ELECTROCHROMATIC MIRROR
<b>IONISER</b>	WITHOUT IONISER
<b>JUKE BOX</b>	WITHOUT JUKE BOX
<b>LABEL</b>	WITHOUT LABEL
<b>LIGHTENING OF LEVEL 0</b>	WITHOUT LIGHTENING
<b>LIGHTING OF LAMPS</b>	AUTOMATIC SWITCHING ON OF LIGHTS
<b>LOAD SPACE LIGHTING</b>	LED STORAGE COMPARTMENT + GLOVE BOX LIGHTING
<b>LOAD SPACE STORAGE</b>	RETRACTABLE FLOOR STORAGE COMPARTMENT
<b>LOCKING CONTROL</b>	NORMAL + AUTOMATIC LOCKING
<b>LOUDSPEAKER</b>	4 HP FRONT (2 TW + FR) + 4 HP REAR
<b>LUGGAGE CARRIER (APPEARANCE)</b>	LUGGAGE CARRIER BAR ALU-LIKE
<b>LUGGAGE COVER</b>	SHELF
<b>MIRROR LINK</b>	WITH MIRROR LINK
<b>MISC. INT. LAMPS</b>	POLYCHROME AMBIENCE LED LIGHTING
<b>MODE SELECTOR</b>	MULTI-MODE SELECTOR
<b>MODIFICATION WINDOW</b>	2ND WINDOW 2018 / BEFORE 2ND WINDOW 2020
<b>MODIFICATION WINDOW</b>	3RD WINDOW 2016 / BEFORE 3RD WINDOW 2018
<b>MODIFICATION WINDOW</b>	1ST WINDOW 2017 / BEFORE 1ST WINDOW 2019
<b>MODIFICATION WINDOW</b>	2ND WINDOW 2017 / BEFORE 2ND WINDOW 2019
<b>MODIFICATION WINDOW</b>	3RD WINDOW 2017 / BEFORE 3RD WINDOW 2019
<b>MODIFICATION WINDOW</b>	1ST WINDOW 2018 / BEFORE 1ST WINDOW 2020
<b>MULTIPLEXING</b>	R3 ECO ELECTRICAL ARCHITECTURE
<b>NUMBER PLATE</b>	WITHOUT LICENCE PLATE
<b>OBSTACLE DETECTION SYSTEM</b>	FRONT-REAR RADAR OBSTACLE SENSOR
<b>OIL GAUGE</b>	STD OIL LEVEL INDICATOR
<b>ORIGINAL ENGINE BASE</b>	EP6FDT ENGINE BASE

<b>OTHER BADGE, " MISC. "</b>	RIVOLI VARIOUS ADDITIONAL BADGE
<b>PANORAMIC VISUAL AID</b>	FR PANORAMIC VISUAL ASSISTANCE + RR VISIO PARK 2
<b>PARTICLE FILTER</b>	WITHOUT PARTICLE FILTER
<b>PASSENGER COMPARTMENT HEATER</b>	WITHOUT PASSENGER COMPARTMENT HEATER
<b>PEDAL BRACKET (POSITION)</b>	PLASTIC LOW PEDAL BRACKET
<b>PEDAL BRACKET (TYPE)</b>	PEDAL ALUMINIUM
<b>PILOTED AIR INLET MODULE</b>	WITHOUT CONTROLLED AIR INTAKE MODULE
<b>POLLEN FILTER</b>	ALLERGEN FILTER
<b>PORTABLE CHARGER</b>	WITH PORTABLE CHARGER
<b>POWER VARIATION (ENGINE)</b>	121.4 KW - 240NM
<b>PROTECTION UNIT</b>	TERMINAL FUSE PROTECTION UNIT
<b>RADIO FREQUENCY</b>	ARABIA RADIO FREQUENCY
<b>RADIO HEADPHONE SOCKET</b>	DOUBLE ACCESSORY SOCKET
<b>RADIO RECEIVER</b>	ANALOGUE CONNECTED NAVIGATION
<b>REAR ANTI-ROLL BAR</b>	ANTI-ROLL BAR DIAM 19
<b>REAR HEAD RESTRAINT</b>	REAR HEADREST ADJUSTABLE
<b>REAR PASSENGER PROTECTION</b>	W/O RR PASSENGER PROTECTION
<b>REAR SEAT</b>	SEAT CUSHION+BACK 2/3-1/3 FOLDING
<b>REAR SEAT ARMREST</b>	WITH REAR ARMREST
<b>REAR SEAT CONTROL</b>	ELECTRIC REAR SEAT CONTROL
<b>REAR SEAT PADDING</b>	WITHOUT RR PASSENGER DETECTION
<b>REAR SPOILER</b>	WITHOUT REAR SPOILER
<b>REAR SUSPENSION (TYPE)</b>	MULTI-ARM RR SUSPENSION LOW WHEEL SHAFT
<b>REFRIGERANT</b>	REFRIGERANT LIQUID R134
<b>REFRIGERATION</b>	AUTOMATIC AIR CONDITIONING
<b>REPARABILITY</b>	STANDARD REPARABILITY
<b>RIM/TYRE SIZE</b>	18 INCH TYRE FITMENT
<b>RIM (COLOUR)</b>	DIAMOND BLACK WHEEL RIM
<b>RR BRAKE DIMENSION</b>	REAR DISC DIAMETER 290 THICKNESS 12
<b>RR OVERHANG</b>	RR OVERHANG 709 MM
<b>RR SEAT ADJUSTMENT</b>	RR SEAT TILTING SEAT BACK
<b>SATELLITE NAVIGATION SYSTEM</b>	WITH NAVIGATION SYSTEM COLOUR SCREEN
<b>SCREEN UNDER POWER TRAIN</b>	SHIELD UNDER POWER TRAIN PANEL PROTECTION
<b>SCR RESERVOIR CAPACITY</b>	WITHOUT SCR RESERVOIR BUFFER
<b>SCR SYSTEM</b>	WITHOUT SCR SYSTEM
<b>SEATING ASSOCIATED VARIANT</b>	VARIANT ASSOCIATED WITH HIGH SEAT POSITION
<b>SECONDARY BRAKE</b>	ELECTRIC SECONDARY BRAKE
<b>SET OF KEYS</b>	SET OF BADGE KEYS + BACK-UP KEY
<b>SIDE MOULDINGS (DIMENSION)</b>	THIN LATERAL/SIDE PROTECTORS+BODY SILL CHROMED DS

<b>SIDE WINDOW TYPE</b>	ACOUSTIC LAMINATED SIDE WINDOW
<b>SPARE WHEEL</b>	SPACE-SAVING SPARE WHEEL
<b>SPECIAL POWER TRAIN SOUND</b>	DYNAMIC POWER TRAIN ACOUSTICS
<b>SPEED GRADUATIONS</b>	SPEED GRADUATION IN KM/H
<b>STARTER MOTOR</b>	STARTER MOTOR CL 5
<b>STEERING (OPERATION)</b>	LOW POWER DOUBLE PINION ELECTRIC POWER STEERING
<b>STEERING WHEEL</b>	FULL GRAIN LEATHER STEERING WHEEL FULL 4-SPOKE
<b>STEERING WHEEL ANGLE</b>	WITH STEERING ANGLE SENSOR
<b>STOP AND START</b>	WITHOUT STOP AND START
<b>SUBFRAME</b>	HARDENED STEEL WITH EXTENSIONS
<b>SURFACE CONDITIONS</b>	UNEVEN TERRAIN
<b>SUSPENSION</b>	RAISED FR AND RR REINFORCED SUSPENSION
<b>SUSPENSION AND WHEELS</b>	SUSPENSION LAW 3
<b>SUSPENSION WISHBONE</b>	REINFORCED ALU SUSPENSION WISHBONE E1.1700 E2.75 ASYM
<b>TANK FILTER</b>	RESERVOIR FILTER EXTERIOR
<b>TECHNICAL MODIFICATION</b>	WITHOUT TECHNICAL MODIFICATION
<b>TELEMATICS LANGUAGE</b>	STANDARD TELEMATICS LANGUAGE
<b>TELEMATIC UNIT</b>	WITHOUT TELEMATIC UNIT
<b>TOWBAR</b>	WITHOUT TOWBAR
<b>TRAFFIC INFORMATION READER</b>	WITHOUT LATERAL TRAJECTORY MONITORING
<b>TRIM ADAPTATION</b>	LEATHER GEAR LEVER KNOB + LEATHER GAITER
<b>TUNER RADIO</b>	TRI RADIO TUNER
<b>TYPE OF MAINTENANCE</b>	SEVERE MAINTENANCE
<b>TYPE OF SIGNALLING</b>	SIGNALLING BY LEDS
<b>TYRE (BRAND)</b>	MICHELIN TYRE
<b>TYRE (QUALITY)</b>	TYRE GRADE C1-C-ROLLING RESISTANCE COEFFICIENT BETWEEN 7.8 AND 9.0
<b>TYRE (SIZE, TYPE)</b>	235/55 R18 100V M+S NON-REINFORCED
<b>UNDERBODY SHIELD</b>	WITHOUT PROTECTION UNDER BODY
<b>VARIANT ASSOCIATED WITH DESIGN</b>	EUROPE
<b>VEHICLE TECHNICAL DEPOLLUTION</b>	TECHNICAL VEHICLE EMISSION CONTROL EURO 5
<b>VIDEO RECORDING (IDVR)</b>	WITHOUT VIDEO RECORDING
<b>VIN PLATE</b>	OUTSIDE EUROPEAN UNION CONSTRUCTOR'S PLATE
<b>WATER DRIVING RESTRICTION</b>	WITH WATER DRIVING CONSTRAINT
<b>WHEEL (TYPE)</b>	ALLOY WHEEL ASSEMBLY 1
<b>WHEELBASE</b>	WHEELBASE 2730
<b>WHEEL EMBELLISHER (STYLE)</b>	BLACK CAP
<b>WHEEL STYLE</b>	STYLE2 RR 18 INCH ALLOY WHEEL
<b>WIDENED RR TRACK</b>	WIDENED RR TRACK RS325
<b>WIFI</b>	WITH WIFI

---

<b>WINDSCREEN GLASS (TYPE)</b>	HEATED WINDSCREEN GLASS
<b>WINDSCREEN WIPER</b>	FRONT WIPER BLADE WITH RAIN SENSOR

---